



MC40

Mobile Computer

Accessories Guide





MC40 Series



MC40



MC40 MSR

What is included in the box:



MC40



Battery

Also Included:

- Quick Start Guide
- Regulatory Guide
- 1 Year Standard Warranty

Find Product Information in the **EMC Product Portfolio** on [The Source](#) and [PartnerCentral](#)

Partner Central

ENTERPRISE MOBILE COMPUTING

EMC PRODUCT PORTFOLIO

- EMC Resources
- Zebra Solutions At A Glance
- Enterprise Mobile Computing
 - Knowledge Worker Portfolio
 - Line Worker Portfolio
 - EMC Software & Solutions
- Topical Content
 - MSI OS Strategy
 - The Value of Enterprise Class Products

CUSTOMER FACING

FIELD MOBILITY

TASK SPECIFIC

INDUSTRIAL MOBILITY

CONFIGURATION & ACCESSORY GUIDES are available on [The Source](#) and [PartnerCentral](#)

For access to additional product information including this guide, please visit:

www.zebra.com/mc40



Step 1: Choose an MC40 configuration

| CONFIGURATION OPTIONS: | MC40 SKU # | OPTION | DESCRIPTION |
|-------------------------------------|-------------------------|--------|---|
| Color | MC40XX- S XXXXXX | S | Smoke Gray |
| | MC40XX- H XXXXXX | H | Healthcare Blue NOTE: This SKU does not have Gingerbread or MSR options |
| Operating System | MC40XX-XX G XXXX | G | Android 2.3 Gingerbread |
| | MC40XX-XX J XXXX | J | Android 4.1.1 Jellybean |
| | MC40XX-XX K XXXX | K | Android 4.4 KitKat |
| MSR (Magnetic Stripe Reader) | MC40XX-XXXXX 0 X | 0 | No MSR |
| | MC40XX-XXXXX M X | M | Magnetic Stripe Reader (MSR) |
| Voice | MC40XX-XXXXXX 0 | 0 | PTT |
| | MC40XX-XXXXXX 1 | 1 | Phone |
| FIPS | MC40XX-XXXXXXX F | F | FIPS |

All currently available MC40 configurations include the following features:

1. 802.11 a/b/g/n radio without WWAN
2. 4.3 inch Capacitive touch display
3. 1/8GB SLC memory
4. 8MP camera

Product Manuals and Software Downloads can be found on the [MC40 Support Page](#)

Step 2: Choose a spare battery type

2680mAh Battery



Standard Capacity Battery

Single Battery **BTRY-MC40EAB0E-01R**


10 Pack **BTRY-MC40EAB0E-10R**

MC40 4 Slot Battery Charger



SACMC40XX-4000R

! MC40 4 Slot Battery Chargers require power supply (PWR-BGA12V50W0WW), DC cable (CBL-DC-388A1-01) & country specific AC line cord sold separately. (See AC Line Cord Country List on last page)



Healthcare 2680mAh Battery



Standard Capacity Healthcare Battery. Health Care Blue for MC40 Health Care

Single HC Battery **BTRY-MC40EAB0E-03H**

MC40 4 Slot Healthcare Battery Charger, White, Disinfectant Ready



SACMC40XX-4000HC

Step 3: Choose a charging method

Single Slot Cradles



CRDMC40XX-1000R

MC 40 Single Slot Cradle.



CRDMC40XX-1000HC

MC40 White, Healthcare Single Slot Cradle - Charge only, Disinfectant Ready.

! MC40 Single Slot Cradles require power supply (PWR-WUA5V6W0WW) and USB Cable (25-MCXUSB-01R) sold separately.

PWR-WUA5V6W0WW



25-MCXUSB-01R



Five Slot Cradles



CRDUNIV-40-5000R

5 Slot Charge Only Cradle. Ability to mount a 4-Slot Battery Charger via the battery adapter cup (sold separately). See Cradle Configuration Slide.



CRDUNIV-40-5000HC

MC40 White, Healthcare 5 Slot Charge Only Cradle - Disinfectant Ready.

! MC40 5 Slot Cradles require power supply (PWR-BGA12V50W0WW), DC cable (CBL-DC-388A1-01) & country specific AC line cord sold separately. (See AC Line Cord Country List on last page)







Step 4: Cradle configurations

Charge 5 Terminals









Required Parts

| QTY | SKU |
|-----|---|
| 1x | CRDUNIV-40-5000R  MC40 5-Slot Charge Only Cradle w/ 5 Terminal Cups |
| 1x | Power Supply: PWR-BGA12V50W0WW  |
| 1x | DC Cable: CBL-DC-388A1-01  |
| 1x | Country Specific AC Line Cord  |

Charge 4 Terminals + 4 Batteries



Required Parts

| QTY | SKU |
|-----|---|
| 1x | CRDUNIV-40-5000R  MC40 5-Slot Charge Only Cradle w/ 5 Terminal Cups |
| 1x | CUPUNIBTRY-1000R Cradle Adapter Cup for 4-Slot Battery Charger  |
| 1x | SAC40XX-4000R 4-Slot Battery Charger  |
| 2x | Power Supply: PWR-BGA12V50W0WW  |
| 2x | DC Cable: CBL-DC-388A1-01  |
| 2x | Country Specific AC Line Cord  |

Step 5: Choose cradle power accessories

DC Cables

25-122026-02R

MC40 2-way DC “Y” cable. Provides Power to two 4-Slot Battery Chargers off one power supply(PWR-BGA12V50WOWW).

Note: 4- Slot Battery Chargers, Power Supply and Country Specific AC Line Cord Sold Separately.



25-MCXUSB-01R

USB Cord for MC40 Single Slot Cradle.

Note: Power Supply (PWR-WUA5V6WOWW) and Single Slot Cradle Sold Separately



CDL-DC-388A1-01

DC Line Cord for Power Supply PWR-BGA12V50WOWW (12 VDC, 4.16A), 1.8 M.

Note: Power Supply (PWR-BGA12V50WOWW) Sold Separately



Power Supplies

PWR-BGA12V50WOWW

PWR SPLY:100-240VAC,12VDC,4.16A MOD for use with the MC40 5-Slot Cradle & 4-Slot Battery Charger.

Note: Country specific three wire grounded AC Line Cord sold separately.



PWR-WUA5V6WOWW

Power Supply-100-220 VAC, 5.4 V, 1.2 A with country specific plugs. For use with MC40 Single Slot Cradle.

Note: Single Slot Cradle & USB Cable sold separately.



Step 6: Choose cradle accessories

Cradle Base



CRDUNIV-XX-5000R

5 Slot Charge Only Cradle. Base only. Can accommodate up to 5 Cups.

Note: Power Supply, DC Cable, AC Line Cord, and device specific charging cups sold separately.



CUPMC40XX-1000R

MC40 Replacement Charging Cup for 5 slot Charge Only Cradle – (QTY-1).

Note: Base, Power Supply, DC Cable, AC Line Cord all sold separately.

Cradle Parts



CUPUNIBTRY-1000R

4-Slot Battery Charger Adapter Cup. Provides ability to mount a 4-Slot Battery Charger on to the 5-Slot Charge Only Cradle (sold separately). 4-Slot Battery Charger requires its own power supplies.

See Cradle Configuration slide for more information.



CUPUNICVR-5000R

Blank Slot Covers for MC40 5-Slot Cradle - Plastic lid to cover and protect cradle charge slots when MC40 charge cups are not in use. (QTY-5).

Step 7: Choose a headset

Headset

MC40 REV B 2.5MM Headset for PTT + VoIP. Headset includes rotating ear piece for right/ left ear configuration & built in cord wrap. QTY-1. NOTE: headset is only compatible w/ Android JellyBean OS (4.1.1) with Rev B. This headset will not work on older versions of MC40.

HDST-25MM-PTVP-01



Step 8: Choose carrying options

Belt Holster



SG-MC40HLSTR-03R

MC40 Belt mounted soft hip holster with robust rotating clip.

(QTY 1)

Accommodates MSR and NON-MSR Devices with or with out the Rubber Boot installed.

Finger Strap



MC40 Finger Strap

| | |
|-------------|------------------|
| Single Pack | SG-MC40STRAP-01R |
| 10 Pack | SG-MC40STRAP-10R |

MC40 Finger strap; comes with 2 screws

Rubber Boot



NON-MSR Rubber Boot

| | |
|-------------|-------------------|
| Single Pack | SG-MC40-RBOOT-01R |
| 10 Pack | SG-MC40-RBOOT-10R |

Ballistic Holster for Trigger Handles



AC1755DWSP*

IHV Validated Ballistic Holster for TC70 and MC40 Trigger Handles

*Available through Agora: To order visit www.ultimacase.com
[Not available through Zebra directly].



MSR Rubber Boot

| | |
|-------------|-------------------|
| Single Pack | SG-MC40-MBOOT-01R |
| 10 Pack | SG-MC40-MBOOT-10R |

Step 9: Scanner accessories

Ring Scanner

RS507

Give your workers the superior blend of technology, form and function needed to achieve a new level of productivity in package handling and warehouse applications with the RS507. Advanced ergonomics and Bluetooth® cordless freedom deliver unparalleled freedom of movement and user comfort — regardless of hand size or hand preference. Best-in-class scanning performance includes stunning laser-like performance on both 1D and 2D bar codes and omnidirectional scanning, eliminating the need to align bar code and scanner. And as the most rugged scanner in its class, the RS507 offers reliable performance in demanding environments.

**Note: Ring Scanner is only compatible with MC40 with JellyBean or higher*

RS507 Guide

Open for more information on the RS507 Configurations and Accessories



RS507 Guide



Mechanical Trigger Handle

3PTY-TIS-234009TG

TIS Branded Third Party Product. Mechanical Trigger Handle for MC40. Used for light scanning applications where gun form factor is preferred. (IHV certified) Not a Zebra branded Product. ANY Service, Repair and Warranty provided by TIS.





Step 10: Choose an AC line card

| Country | Three Wire Grounded AC Line Cord |
|-----------|--|
| Abu Dhabi | 50-16000-220R: 1.8M long, CEE 7/7 plug. |
| Australia | 50-16000-217R: 1.9M long, AS 3112 plug. |
| Bolivia | 50-16000-220R: 1.8M long, CEE 7/7 plug. |
| Brazil | 50-16000-727R: 18AWG, 250V, 16A, BR (3w). |
| China | 50-16000-217R: 1.9M long, AS 3112 plug. 50-16000-257R: 1.8M long, IEC 60320 C13 plug. |
| Dubai | 50-16000-220R: 1.8M long, CEE 7/7 plug. |
| Egypt | 50-16000-220R: 1.8M long, CEE 7/7 plug. |
| Europe | 50-16000-220R: 1.8M long, CEE 7/7 plug. |
| Hong Kong | 50-16000-219R: 1.8M long, BS1363 plug. |
| India | 50-16000-669R: 1.9M long, BS 546 plug. |
| Iran | 50-16000-220R: 1.8M long, CEE 7/7 plug. |
| Iraq | 50-16000-219R: 1.8M long, BS1363 plug. |

| Country | Three Wire Grounded AC Line Cord |
|------------|---|
| Israel | 50-16000-672R: 1.9M long, S132 plug. |
| Italy | 50-16000-671R: 1.8M long, CIE 23-16 plug. |
| Japan | 50-16000-218R: 1.8M long, NEMA 1-15P plug. |
| Korea | 50-16000-220R: 1.8M long, CEE 7/7 plug. 50-16000-256R: 1.8M long, CEE7/7 plug. |
| Malaysia | 50-16000-219R: 1.8M long, BS1363 plug. |
| New Guinea | 50-16000-217R: 1.9M long, AS 3112 plug. |
| Russia | 50-16000-220R: 1.8M long, CEE 7/7 plug. |
| Singapore | 50-16000-219R: 1.8M long, BS1363 plug. |
| UK | 50-16000-219R: 1.8M long, BS1363 plug. |
| US | 23844-00-00R: 7.5 feet long. 50-16000-221R: 1.8M long, USA NEMA 5-15P. |
| Vietnam | 50-16000-220R: 1.8M long, CEE 7/7 plug. |