

Workabout Pro 4

EMC Configuration and Accessories Guide

Designed to assist customers and partners with model and configuration guidance





List of changes

Version Update (Feb 2017)


- 1. Slide 3: Updated hyperlink to Partner Portal
- 2. Slide 8: Updated radio options, added GPS to Diversity radios
- 3. Slide 14: Updated battery P/Ns as we transitioned to new WAP3/WAP4 batteries
- 4. Slide 15,16,17: Updated charging accessories P/Ns with Level 6 replacements, added specifics about DC cord and AC line cords.
- 5. Slide 18: Added forklift holsters compatible with WAP4



Workabout Pro 4

- Also see <u>www.zebra.com/</u>
 workaboutpro4
 and the WAP-4 Configuration and
 Accessories Guide
- WAP4/XT15 Positioning Strategy
 Webinar & presentation with use-case driven approach
 Partner Central

Find Product Information in the **EMC**Product Portfolio on The Source and PartnerPortal



- WAP-4 Third party accessories:
 - www.Portsmith.com



WAP4 Configuration Matrix

CONFIGURATION OPTIONS:	WA4xx	OPTION	DESCRIPTION			
	WA4Lxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	L	Long Version - Alphanumeric Keyboard			
Form Factor and Keyboard	WA4Sxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	S	Short Version - Numeric Keyboard			
	WA4Qxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	Q	Short Version - QWERTY Keyboard			
Omeration System	WA4x1xxxxxxxxxxx	1	Microsoft Windows Compact Embedded 6.0			
Operating System	WA4x2xxxxxxxxxxx	2	Microsoft Windows Mobile Handheld 6.5.3			
Local Language	WA4xx1xxxxxxxxxx	1	English			
	WA4xx2xxxxxxxxxx	2	French			
	WA4xxxx0xxxxxxxx	0	None			
	WA4xxxx1xxxxxxxx	1	SE965 Standard 1D Laser End cap			
	WA4xxxx2xxxxxxxx	2	SE655 1D Linear Imager End cap			
	WA4xxxx3xxxxxxxx	3	SE4500 2D Imager End cap			
F., J O., 41	WA4xxxx4xxxxxxxx	4	Headset Jack 2.5mm			
End-cap Options	WA4xxxx5xxxxxxxx	5	RFIDUHF Linear Antenna FCC/IC Countries			
	WA4xxxx6xxxxxxxx	6	RFID UHF Linear Antenna CE Countries			
	WA4xxxx9xxxxxxxx	9	RFID HF CE/FCC/IC Country			
	WA4xxxAxxxxxxx	Α	SE1524 1D Extended Range Laser			
	WA4xxxExxxxxxx	Е	RFID LF CE/FCC/IC Countries			
	WA4xxxxx0xxxxxxx	0	Blank Back Cover			
	WA4xxxxx1xxxxxxx	1	SE965 1D Laser Slim Pod			
	WA4xxxxx2xxxxxxx	2	SE655 1D Imager Slim Pod			
Back Cover Options	WA4xxxxx3xxxxxxx	3	SE4500 2D Imager Slim Pod			
	WA4x2xxx4xxxxxxx	4	8 MP Camera Back Cover			
	WA4xxxx5xxxxxxx	5	RFIDUHF Circular Antenna, FCC/IC Countries Back Cover			
	WA4xxxx6xxxxxxx	6	RFID UHF Circular Antenna, CE Countries Back Cover			
	WA4xxxxxx1xxxxxx	1	802.11 a/b/g/n, No Diversity, BT2.0+EDR			
	WA4xxxxxx2xxxxxx	2	802.11 a/b/g/n, Diversity, BT 3 +WBA + HFP, GPS, No Stylus			
Radio Options	WA4xxxxx4xxxxxx	4	802.11 a/b/g/n, Diversity, BT 3 +WBA + HFP, GPS, UMTS/HSPA+, CE Cntry,No Stylus			
	WA4xxxxx5xxxxxx	5	802.11 a/b/g/n, Diversity, BT 3 +WBA + HFP, GPS, UMTS/HSPA+, FC/IC Country			
	WA4xxxxxxxxx0xxx	0	No Pistol, No Strap			
Pistol Grip / Hand Strap	WA4xxxxxxxxx1xxx	1	Pistol Grip, No Strap			
-	WA4xxxxxxxxx2xxx	2	No Pistol, Double Loop Handstrap			
Battery	WA4xxxxxxxxxx2xx	2	4400mAh			
	WA4xxxxxxxxxxxC	С	China			
Country or Custom Code	WA4xxxxxxxxxxww	W	Worldwide less China			



Configuration Exceptions List

os	End Cap	Back Cover	Radio	Pistol Grip	Compatible	Explanation
Win CE		Camera			No	Win CE not a multi-media OS; choose WEHH instead
	Lorax (WA9022)		WWAN or Wifi Diversity& GPS		No	Lorax module is big. WWAN modem requires an auxiliary antenna which sticks out of the housing, so Lorax module and these radios cannot co-exist
	Lorax (WA9022)	Camera, RFID UHF Circular			No	Lorax requires trigger board in Back cover so other back covers are not compatible
		RFID UHF Circular Antenna		Pistol Grip	No	Pistol grip will obstruct circular antenna
	RFID Endcap or	RFID Backcover	WAN		Yes	All RFID options (end cap or back cover) are compatible with WAN radio
		Camera		Pistol Grip	No	Pistol grip will obstruct camera opening
	Stylus		WWAN or WiFi Diversity & GPS		No	Stylus occupies WWAN and WiFi diversity antenna slot



Workabout Pro 4 Main Variants





Workabout Pro 4

Workabout Pro 4 Long - Alpha Numeric Keyboard

- Windows CE 6.0
- Windows Embedded Hand Held 6.5

Workabout Pro 4 Short – Numeric Keyboard Workabout Pro 4 Short – Qwerty Keyboard

- Windows CE 6.0
- Windows Embedded Hand Held 6.5



WAP4 Operating System Options



Microsoft Windows Embedded Handheld 6.5 Classic Edition







Operating System Configurations

Microsoft Windows

Embedded Handheld 6.5 Classic Edition

Microsoft Windows

Embedded Compact 6.0



OS in Local languages available for download on the Support Portal: https://www.zebra.com/us/en/support-downloads/mobile-computers/handheld/workabout-pro-4.html



WAP4 Radio Options



Built-in Radios

802.11 A/B/G/N, **No Diversity** Antenna with Bluetooth 3.0 + WBA + HFP1.6

802.11 A/B/G/N, **Diversity** Antenna with Bluetooth 3.0 + WBA + HFP1.6, **GPS** and No Stylus

802.11 A/B/G/N, Diversity Antenna with Bluetooth 3.0 + WBA + HFP1.6, GPS, UMTS / HSPA+, CE Countries and No Stylus

802.11 A/B/G/N, Diversity Antenna with Bluetooth 3.0 + WBA + HFP1.6, **GPS, UMTS / HSPA+, FCC / IC Countries and No Stylus**

Applicable only for Upgrades / Reconfiguration

Radio Modules

RA3051 HSPA+ WAN expansion module,

compatible with Short and Long configurations, end-cap of choice is

ordered separately.

RA3052 Diversity Wi-Fi / Stand alone GPS

antenna module, compatible with Short and Long configurations, endcap of choice is ordered separately.

Installation instructions for Radio Modules:

http://www.ingenuityworking.com/knowledge/w/knowledgebase/ 1525.workabout-pro4-product-manuals.aspx



WAP4 End-cap Options

Choose end cap for best ergonomic solution!

Data Capture End-Caps

WA9022 SE1524ER 1D Lorax extended range laser

WA9016 SE965 1D Standard range laser

WA9018 SE655 1D Linear imager

WA9020 SE4500 2D Imager

OR

Other End-Caps

WA6212 WAN/GPS/Wi-Fi diversity end-cap

WA6213 Multi-purpose end cap

WA6215 Headset adapter end-cap

WA6214 Standard blank end-cap, with stylus

Optional pistol grip WA6103

WA6103 Pistol Grip Pistol grip attachment kit. Includes flush mount pistol grip with trigger, and screws

Applicable only for Upgrades / Reconfiguration



When using WA9022 Lorax Laser end-cap with or without pistol grip, a trigger board WA9301 is required as back cover, so camera (located in back cover) is not compatible. WAN upgrade is not compatible with Lorax End cap

For all other end-cap engines, a trigger board WA9302 is required **ONLY** when using the pistol grip.



WA9022 1D Lorax Laser



WA9016 1D Standard Range Laser



WA9018 1D Linear Imager



WA6213 Multi-purpose end cap



WA9020 2D Imager

All end-cap scanners and pistol grip are compatible with short and long configurations



Order 1020289 - Pistol grip switch cover when removing the pistol grip & switching to Brick mode





WAP4 RFID End Caps/Back Covers

Ultra High Frequency (UHF)

WA9901 Linear antenna, FCC / IC country certified end cap

WA9902 Linear antenna, CE Country certified end cap

WA9903 Circular antenna, FCC / IC Country certified back cover

WA9904 Circular antenna, CE Country certified back cover

Both UHF antenna modules are compatible with scanners, pod scanner for linear variant and end cap scanner for circular RFID variant.

All circular UHF antenna modules are installed to the WAP4 units as back-covers





Linear antenna is sensitive to tag orientation, circular antenna is not.

High (HF) and Low Frequency (LF) End Caps

WA9905 HF module, FCC/IC, CE country certified end cap

WA9906 LF module, FCC/IC, CE country certified end cap









WAP4 RFID Compatibility Matrix

RFID Products	Slot / Plastic extension	Imager & Laser Pod Options	Imager & Laser End Cap Options	Camera	WIFI Option	UMTS Option	GPS Option	Pistol grip	Hand strap
RFID Module UHF- Linear antenna America variant WA9901	XMOD Slot / Multipurpose End Cap	All except Lorax engine				Toggle mode			
RFID Module UHF- Linear antenna Europe variant WA9902	XMOD Slot / Multipurpose End Cap	All except Lorax engine							
RFID Module UHF- Circular antenna America variant WA9903	XMOD Slot / Expanded Back Cover		All except Lorax engine			Toggle mode			Only P/N 1009144
RFID Module UHF- Circular antenna Europe variant WA9904	XMOD Slot / Expanded Back Cover		All except Lorax engine						Only P/N 1009144
RFID Module HF WA9905	USB End Cap / Multipurpose End Cap	All except Lorax engine							
RFID Module LF-AH1-G2 WA9906	USB End Cap / Multipurpose End Cap	All except Lorax engine							

Legend





WAP4 Trigger Boards

Trigger Boards

WA9301 Trigger board for SE1524-ER,1D Lorax

extended range laser end-cap.

WA9302 Trigger board for 1D standard range

laser or 1D/2D imager end-cap

Additional pistol grip

WA6103 Pistol grip attachment kit. Includes flush mount pistol grip with trigger, and screws





Applicable only for Upgrades / Reconfiguration



Trigger board WA9301 is always required when using WA9022 Lorax laser end-cap with or without pistol grip

Trigger board WA9302 is required for 1D laser or 1D/2D imager **ONLY** when using the pistol grip







Inside Back Cover

WA9301

Trigger Board for Lorax Laser End-Cap

WA9302

Trigger Board for 1D Laser or 1D/2D Imager End-Cap



All trigger boards are compatible with short and long configurations



WAP4 Back Cover Options

Choose slim pod scan engine if you need additional technology in end cap (e.g., RFID LF, HF, UHF Linear, Head Set Jack, etc.)

Back Covers

Standard blank back-cover **WA6216**

8.0 megapixel camera module (not **WA9021** available for Lorax End cap and Win CE

OS)

OR

Slim Pod Engines

WA9017 SE655 1D Linear imager

WA9019 SE4500 2D Imager

WA9015 SE965 1D Standard range laser



Optional pistol grip WA6003

Pistol grip attachment for slim pod Slim pods with pistol grip increases terminal's Z dimension

Applicable only for **Upgrades / Reconfiguration**



WA9021 8MP Camera Module



WA6208 Standard Blank Back-Cover



WA9015 1D Standard range laser



WA9019 2D Imager



WA9017 1D Linear Imager



Slim pods have built in trigger boards

All covers, slim pods and pistol grip are compatible with short and long configurations



WAP4 Battery Options

If you're changing battery types, a battery door is required when purchasing Super High Cap batteries





WA3026 4680 mAh

Replacement for WA3010 (4400 mAH) EOL

Compatible battery doors:



WA3017-G2

Battery door for long configurations



WA3018-G2

Battery door for **short** configurations

Spare WAP3 Battery



WA3025 2850 mAh

Replacement for WA3006 (3300 mAH) EOL

Compatible battery doors:



WA3015-G2

Battery door for long configurations



WA3016-G2

Battery door for **short** configurations





Single Slot Cradle:

WA4003-G3 Single Slot Docking Station, USB (Includes Power Supply PWR-

WUA5V15W0WW, country adapters including China and USB

Cable)

WA4003-AR Single Slot Docking Station Desktop

for Argentina (**Includes** Power Supply PWR-WUA5V15W0AR, country adapter and USB Cable)



The single slot cradle is compatible with the pistol grip, charges a spare battery and has USB master and slave connections.



The single slot cradle includes a power supply PWR-WUA5V15W0WW Or PWR-WUA5V15W0AR for Argentina with country adapters and a USB cable.









Four Slot Cradle:

WA4204-G3

Quad Docking Station, Ethernet for Long Config (Includes Power Supply PWR-BGA12V50W0WW, DC Cable CBL-DC-388A1-01) Requires: Country Specific Grounded AC Line Cord separately

WA4304-G3 Quad Docking Station, Ethernet for Short Config (Includes Power Supply PWR-BGA12V50W0WW, DC Cable CBL-DC-388A1-01) Requires: Country Specific Grounded AC Line Cord separately

Additional accessories for four slot cradle

PWR-BGA12V50W0WW



Level VI AC/DC Power Supply (Brick) AC Input: 100-240V, 2.4A DC Output: 12V, 4.16A, 50W Requires: DC line cord and Country specific grounded AC line cord.

CBL-DC-388A1-01



DC Line Cord for running the four slot cradles from a single Level VI power supply PWR-BGA12V50W0WW.



Please order PS1057-G1 as a replacement power supply for WA4204-G2 / WA4304-G2 guad docking stations.





Four Slot Battery Charger:

WA3004-G1

Four slot battery charger to be used with high and ultra high capacity batteries. **Includes** power supply (PS1055-G1). Must order AC line cord separately.

Additional Accessories



PS1055-G1

AC Adapter 110-240V for WA3004-G1 quad Charger - no lead

AC Line Cord	Description AC Line Cord	Associated Country
23844-00-00R	AC line cord, 7.5 feet long, grounded, three wire. Associated Country: US	US
50-16000-217R	AC Line Cord, 1.9M, grounded, three wire, AS 3112 plug. Associated Country: Australia, New Guinea	AU, PNG
50-16000-218R	AC Line Cord, 1.8M, grounded, three wire, NEMA 1-15P plug. Associated Country: Japan	JP
50-16000-219R	AC Line Cord, 1.8M, three wire, grounded BS1363 plug. Associated Countries: Hong Kong, Iraq, Malaysia, Singapore, United Kingdom	HK, IRQ, MYS, SGP, UK
50-16000-220R	AC Line Cord, 1.8M, grounded, three wire CEE 7/7plug. Associated Countries: Europe, Abu Dhabi, Bolivia, Dubai, Egypt, Iran, Korea, Russia, Vietnam	EU, ARE, BOL, ARE, EGY, IRN, KOR, RUS, VNM
50-16000-256R	AC Line Cord, 1.8M, grounded, three wire, CEE7/7 plug. Associated Country: Korea	KOR
50-16000-257R	AC Line Cord, 1.8M, grounded, three wire, IEC 60320 C13 plug. Associated Country: China	CHN
50-16000-669R	AC Lind Cord, 1.9 M grounded, three wire, BS 546 Plug. Associated Country: India	IND
50-16000-671R	AC Line Cord, 1.8M grounded, CIE 23-16 plug. Associated Country: Italy	ITA
50-16000-672R	AC Line Cord, 1.9M grounded, three wire, S132 Plug. Associated Country: Israel	ISR
50-16000-727R	AC Line Cord, 1.9M grounded, three wire. Associated Country:	BRA



Vehicle cradle:

WA1210-G2

Vehicle cradle 12V, for use with long configurations



Vehicle cradle 12V, for use with **short** configurations

Vehicle charge cable: RV3050

Vehicle charge cable, allows to charge directly any long or short configurations.





For powered connection, must order a power cable 9-20V input (CA1210) or the vehicle power outlet adapter cable (CA3002)

Optional Accessories



WA4005-G1

Port replicator connects serial devices to the vehicle cradle.



PS1350

Pre-regulator module required when connecting the vehicle cradle to power sources above 20V to a maximum of 72V.



ST6054 / ST6052 (with rubber boot)

Forklift Holster compatible with WAP4





WAP4 Carrying Accessories

Holsters

WA6083 Soft Holster and Belt for

use with all short and long configurations when using the pistol grip. Includes belt, tether (pistol grip to holster)

and leg strap.

WA6084

Nylon Pouch for use with all short and long configurations when using the pistol grip. The nylon pouch is not approved in FCC countries.

Carry Cases

WA6080 Standard carry case, for use with **long** configurations.

Includes belt clip.

WA6180 Standard Carry Case, for use with **short** configurations.

Includes belt clip.

WA6081 Carry case (open ended), for use with **long** configurations

while using end cap scanners and most RFID options.

WA6181 Carry case (open ended), for use with **short** configurations

while using end cap scanners and most RFID options.

Optional shoulder strap for carry cases

CV6021

Shoulder strap for use with all carry cases.



^{*} Note: Carry cases are not approved in FCC countries



WAP4 Carrying Accessories

Rubber Boots

WA6400 Rubber boot for use with long LAN

configurations with/without using

scanner pods/pistol grip

WA6402 Rubber boot for use with long

extended range laser configuration

with/without using pistol grip



WA6400 Rubber Boot

Optional shoulder strap for rubber boots

CV6021 Shoulder strap for use with all rubber boots





Rubber Boot for Long Extended Range Laser



WAP4 Carrying Accessories

Hand Straps

WA6025 Hand strap with mobile stylus (double

loop) for **long** configurations

WA6125 Hand strap with stylus (double loop) for

short configurations

Hand Straps include a tethered stylus



Miscellaneous

WA6100-G1 Replacement end cap stylus (pack of 5)

WA6310-G1 Mobile stylus with holder kit, includes

stylus, tether and holder

WA6113 Screen Protector (pack of 3)



WA6025 Hand Strap with Mobile Stylus



WA6310-G1
Mobile Stylus with Holder Kit



WAP4 Optional Tether Adapters

Tether Open- Ended Cable



CA2950-G1
Open ended cable with strain relief (150mm/ 6ft)

Tether to Dsub9 Cable



WA4020-G2

It provides RS232 connectivity (Dsub9 connector) to any short and long configurations through the tether port.

Tether to USB A Cable



WA1002

It provides USB A connectivity to any short and long configs through the tether port.
Supports USB peripherals.
Not used for active sync.

USB to Ethernet Adapter (3rd party)



PSA1U1E

USB to Ethernet adapter with no separate power supply requirement.

WAP-4 Third party accessories: www.Portsmith.com